

General

Hisense Market Modle	43A6N
Internal Modle	43A51HUA
Sales Market	US / Mexico / Canada
Brand	Hisense

Premium Tech

MiniLED Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N

AI

Picture Quality

Class Size	43"
Display Area	42.5"
Panel type	VA
Display Aspect Ratio	16:09
Display	flat
Resolution	4K 3840x2160
Native refresh rate(Hz)	60HZ
Peaking Brightness(typical nits)	250typ
Static Contrast Ratio (w/ Local Dimming)	5000typ
Viewing Angle H/V	178/178
Response Time (ms)	9.5ms
Color Depth	8bit+FRC
Backlight	DLED
Local Dimming	N
Local Dimming Zones	1
Wide Color Gamut	N
4K Upscale	
MEMC	
Motion Rate	
Black Frame Insertion	
HDR: Dolby Vision	Y
HDR: HDR10+	N
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HLG)	Y
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	Y
IMAx Enhanced	N
Film Maker Mode	Y
Other features	

Game

HDR game mode

HSR	HSR120
VRR(Variable Refresh Rate)	Y
ALLM(Auto Low-latency Mode)	Y
FreeSync	PCsync
G-Sync	Y
Other Game features	

Audio Quality

Audio Enhancement	
Multi-Channel Audio	2
Audio Power	2*7W
Sound send	N
Speaker Type	
Bluetooth Audio	Y
Dual Audio-Bluetooth+ TV speaker	
Dual Audio-2 Bluetooth	
TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	

Hardware&Ports

Wi-Fi	2.4G+5G
Bluetooth	BT5.3
RF Antenna	1
Supported Format	480i,480P,720P,1080i,1080P,2160P
HDMI Inputs	HDMI2.0*3
HDMI 4K@120Hz	不支持
HDMI-eARC	HDMI3
USB	USB2.0*2
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1 optical

Power

Power Consumption	100W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	120V 60Hz
Wide Power Supply	N

Smart

Smart Platform	Google TV
On Screen Display	Eng/Fre/Spa
App Store	Google Play store
TV System	ATSC/ISDB
Web Browser	Yes (Google Play store)

Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	built-in GA
Alexa	work with Alexa
Siri	N
Google Home	Y
Chromecast	Y
Apple Homekit	Y
Airplay	Y
Screen Mirror	

Dimensions/Weight(lb&inch)

TV Dimension (without the stand)(inch)	37.9×22.0×2.9
TV Dimension (with the stand)(inch)	37.9×23.9×8.3
Stand Material	ABS-GF15
Stand Dimension-Wide(LxW)(inch)	29.8×8.3
Stand Dimension-Narrow(LxW)(inch)	NA
Stand Dimension-Height-High(mm)	NA
Stand Dimension-Height-Low(mm)	NA
TV Weight (without the stand)(lb)	15
TV Weight (with the stand)(lb)	15.2
Carton Dimensions(WxHxD)(inch)	42.8×25.7×5.2
Shipping Weight(lb)	24.2
Weight of carton box(lb)	4.8
Weight of plastic foam in package material(lb)	0.9
Weight of plastic in package material(lb)	0.02
Weight of packaging -paper, cardboard(lb)	1.34
Weight of packaging- EPS(lb)	0.9
Weight of packaging- foil PE(lb)	0
Weight of packaging- PVC(lb)	0
Weight of packaging- metal(lb)	0.02
Weight of packaging -paper(lb)	0
Number of packaging units(lb)	8

Dimensions/Weight(kg&mm)

TV Dimension (without the stand)(mm)	963×560×74
TV Dimension (with the stand)(mm)	963×606×210
Stand Dimension-Wide(LxW)(mm)	758×210
Stand Dimension-Narrow(LxW)(mm)	NA
Stand Dimension-Height-High(mm)	NA
Stand Dimension-Height-Low(mm)	NA
TV Weight (without the stand)(kg)	6.8
TV Weight (with the stand)(kg)	6.9

Carton Dimensions(WxHxD)(mm)	1088×654×132
Shipping Weight(kg)	11
Weight of carton box(kg)	2.2
Weight of plastic foam in package material(kg)	0.4
Weight of plastic in package material(kg)	0.01
Weight of packaging -paper, cardboard(kg)	0.61
Weight of packaging- EPS(kg)	0.4
Weight of packaging- foil PE(kg)	0
Weight of packaging- PVC(kg)	0
Weight of packaging- metal(kg)	0.01
Weight of packaging -paper(kg)	0
Number of packaging units(kg)	8

Wall Mount

Wall Mount Size	200×300
Wall Mount Screw	M6

Accessory

Remote	Y
Battery	2
Power cord	Y
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty	
UPC Code	
EAN Code	