

General

SA Market Model	32A4NV
Sales Market	USA, Canada, Mexico, Panama, Guatemala
Brand	Hisense

Premium Tech

MiniLed Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	

Picture Quality

Class Size	32"
Display Area	31.5" diagonal
Panel type	VA HKC PT320AT02-5
Display Aspect Ratio	16:09
Display	Flat
Resolution	HD 1366*768
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nits)	200typ
Static Contrast Ratio (w/ Local Dimming)	3000 typ
Viewing Angle H/V	178/178
Response Time (ms)	8.5 ms
Color Depth	8 Bit
Backlight	FULL ARRAY
Local Dimming	N
Local Dimming Zones	NA
Wide Color Gamut	N
4K Upscale	N
MEMC	N
Motion Rate	60
Black Frame Insertion	N
HDR: Dolby Vision	N
HDR: HDR10+	N
HDR: HDR10	N
HDR: Hybrid Log Gamma (HLG)	N
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	N
IMAx Enhanced	N
Film Maker Mode	N
Other features	

Game

HDR game mode	N
---------------	---

HSR	N
VRR(Variable Refresh Rate)	N
ALLM(Auto Low-latency Mode)	N
FreeSync	N
G-Sync	N
Other Game features	N

Audio Quality

Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*6W
Sound send	N
Speaker Type	Embedded (down)
Bluetooth Audio	N
Dual Audio-Bluetooth+ TV speaker	N
Dual Audio-2 Bluetooth	N
TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	N

Hardware&Ports

Wi-Fi	IEEE 802.11 b/g/n 2.4G
Bluetooth	N
RF Antenna	1
Supported Format	480i、480p、720p、1080i、1080p
HDMI Inputs	HDMI1.4*2
HDMI 4K@120Hz	N
HDMI-eARC	Y, HDMI2
USB	USB2.0*1
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1
Mainboard Output Signal	miniLVDS

Chipsets

OS version	VIDAA U8.5
Chipset name	NT72690TBG-8C2K
CPU	CA53x4@1.1GHz
GPU	Mali-G52-2EE MC1
L1	
L2/L3	
DDR	1G
EMMC	4G

Power

Power Consumption	50W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC120V,60Hz
Wide Power Supply	N

Smart

Smart Platform	VIDAA U8.5
On Screen Display	Eng/Fre/Spa/Por
App Store	VIDAA Store
TV System	ATSC/J.83B、ISDB-T、NTSC、PAL
Web Browser	Odin
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	N
Alexa	Works with Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	Google smart home (Works with GA)
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast, DLNA

Dimensions/Weight(lb&inch)

TV Dimension (without the stand)(inch)	28.4×16.8×3.1 inch
TV Dimension (with the stand)(inch)	28.4×18.6×7.2 inch
Stand Material	Plastic
Color (Front cover, stand)	Black
Stand Dimension-Wide(LxW)(inch)	24.7x7.2 inch
Stand Dimension-Narrow(LxW)(inch)	/
Stand Dimension-Height-High(inch)	/
Stand Dimension-Height-Low(inch)	/
TV Weight (without the stand)(inch)	7.5 lb
TV Weight (with the stand)(inch)	7.7 lb
Carton Dimensions(WxHxD)(inch)	31.5x20.3x4.5 inch
Shipping Weight(lb)	11.0 lb
Weight of carton box(lb)	2.5 lb
Weight of plastic foam in package material	0.3 lb
Weight of plastic in package material	0 lb
Weight of packaging -paper, cardboard	2.5 lb
Weight of packaging- EPS(lb)	0.3 lb
Weight of packaging- foil PE(lb)	0 lb
Weight of packaging- PVC(lb)	0 lb

Weight of packaging- metal(lb)	0 lb
Weight of packaging -paper(lb)	0 lb
NA Number of packaging units(lb)	10
SA Number of packaging units(lb)	5

Dimensions/Weight(kg&mm)

TV Dimension (without the stand)(mm)	722×426×78 mm
TV Dimension (with the stand)(mm)	722×472×183 mm
Stand Dimension-Wide(LxW)(mm)	627x183 mm
Stand Dimension-Narrow(LxW)(mm)	/
Stand Dimension-Height-High(mm)	/
Stand Dimension-Height-Low(mm)	/
TV Weight (without the stand)(kg)	3.4 kg
TV Weight (with the stand)(kg)	3.5 kg
Carton Dimensions(WxHxD)(mm)	800x515x115 mm
Shipping Weight(kg)	5.0 kg
Weight of carton box(kg)	1.12 kg
Weight of plastic foam in package material(kg)	0.15 kg
Weight of plastic in package material(kg)	0 kg
Weight of packaging -paper, cardboard(kg)	1.12 kg
Weight of packaging- EPS(kg)	0.15 kg
Weight of packaging- foil PE(kg)	0 kg
Weight of packaging- PVC(kg)	0 kg
Weight of packaging- metal(kg)	0 kg
Weight of packaging -paper(kg)	0 kg
NA Number of packaging units(kg)	10
SA Number of packaging units(kg)	5

Wall Mount

Wall Mount Size	100×100
Wall Mount Screw	M6

Hisense internally supported Wall Mount LG200201A

Hisense internally supported Wall Mount 350168-0129

Accessory

Remote	Y
Battery	2
Power cord	1
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty
UPC Code
EAN Code