

General

Figure

NA Market Model	50QD6QV
Internal Model	50Q60QUV
Sales Market	Panama, Guatemala, Chile, Peru, Bolivia, Uruguay, Paraguay, Costa Rica, Colombia, Brasil, Mexico, Canada
Brand	Hisense

Premium Tech

MiniLed Technology	N
Quantum Dot Technology	Y
AGLR(Low Reflection)	N
AI	AIPQ

Picture Quality

Class Size	50"
Display Area	49.5" diagonal
Panel type	VA
Display Aspect Ratio	16:09
Display	Flat
Resolution	4K 3840X2160
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nit:350typ	
Static Contrast Ratio (w/ Local	4000typ
Viewing Angle H/V	178/178
Response Time (ms)	8ms
Color Depth	8bit+FRC
Backlight	DLED
Local Dimming	N
Local Dimming Zones	NA
Wide Color Gamut	Y
4K Upscale	Y
MEMC	Y
Motion Rate	120
Black Frame Insertion	N
HDR: Dolby Vision	Y
HDR: HDR10+	Y
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HL	Y
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	Y
IMAx Enhanced	N

Film Maker Mode	Y
-----------------	---

Other features	
----------------	--

Game

HDR game mode	Y
HSR	HSR 120
VRR(Variable Refresh Rate)	48-60Hz VRR
ALLM(Auto Low-latency Mod	Y
FreeSync	N
G-Sync	N
Other Game features	Gamebar

Audio Quality

Audio Enhancement	Dolby Atmos
Multi-Channel Audio	2.0 CH
Audio Power	2*8W
Sound send	Y
Speaker Type	Embedded (down)
Bluetooth Audio	Y
Dual Audio-Bluetooth+ TV sp	Y
Dual Audio-2 Bluetooth	Y
TV Bluetooth	
Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	Y

Hardware&Ports

Wi-Fi	802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
Bluetooth	BT5.3
RF Antenna	1
Supported Format	480i,480P,720P,1080i,1080P,2160P
HDMI Inputs	HDMI2.0*3
HDMI 4K@120Hz	N
HDMI-eARC	HDMI 3
USB	USB2.0*2
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composi	1
Earphone/Audio Output	1
Digital Audio Output	1 optical
Mainboard Output Signal	P2P

Chipsets

OS version	VIDAA U9
Chipset name	MT9603BAATAC
CPU	CA55 * 4 @ 1.53GHz

GPU	G52 MC1 550MHz
L1	/
L2/L3	/
DDR	1.5GB
EMMC	8GB
Power	
Power Consumption	120W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC100-240V,50/60Hz
Wide Power Supply	Y
Smart	
Smart Platform	VIDAA U9
On Screen Display	English, French, Spanish, German, Simplified Chinese, Traditional Chinese, Portuguese
App Store	VIDAA APP store
TV System	ATSC1.0/Clear QAM/NTSC/PAL-M/N/ISDB-T/DVB-T2(6M)
Web Browser	Y (Odin)
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	N
Alexa	Works with Alexa(Brazil, Mexico, Canada)
Siri	N
Google Home	Google smart home (Works with GA)
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)	44×25.6×3.1 inch
TV Dimension (with the stand)	44×27×9.7 inch
Stand Material	plastic
Color (Front cover, stand)	Black / Black
Stand Dimension-Wide(LxW)(inch)	
Stand Dimension-Narrow(LxW)(inch)	
Stand Dimension-Height-High(inch)	
Stand Dimension-Height-Low(inch)	
TV Weight (without the stand)	19.2 lbs
TV Weight (with the stand)	19.4 lbs
Carton Dimensions(WxHxD)(inch)	

Shipping Weight(lb)
Weight of carton box(lb)
Weight of plastic foam in package material(lb)
Weight of plastic in package material(lb)
Weight of packaging -paper, cardboard(lb)
Weight of packaging- EPS(lb)
Weight of packaging- foil PE(lb)
Weight of packaging- PVC(lb)
Weight of packaging- metal(lb)
Weight of packaging -paper(lb)

NA Number of packaging units(lb)

SA Number of packaging units(lb)

Dimensions/Weight(kg&mm)

TV Dimension (without the stand) 1119×650×80 mm
TV Dimension (with the stand) 1119×685×247 mm
Stand Dimension-Wide(LxW)(mm)
Stand Dimension-Narrow(LxV) NA
Stand Dimension-Height-High NA
Stand Dimension-Height-Low NA
TV Weight (without the stand) 8.7 kg
TV Weight (with the stand) 8.8 kg
Carton Dimensions(WxHxD) 1265×135×799 mm
Shipping Weight(kg) 13.5 kg
Weight of carton box(kg)
Weight of plastic foam in package material(kg)
Weight of plastic in package material(kg)
Weight of packaging -paper, cardboard(kg)
Weight of packaging- EPS(kg)
Weight of packaging- foil PE(kg)
Weight of packaging- PVC(kg)
Weight of packaging- metal(kg)
Weight of packaging -paper(kg)

NA Number of packaging units(kg)

SA Number of packaging units(kg)

Wall Mount

Wall Mount Size 200×400
Wall Mount Screw M6

Hisense internally supported LG400065

Hisense internally supported 193085-0120

Accessory

Remote
中美洲及南美: ERF2H38H
CA: ERF2G38H
MX: ERF2F38H
巴西: ERF2J38H

Battery	2
Power cord	1
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty

UPC Code

EAN Code