

General

NA Market Model	65A65NV
SA Market Model	65A6NV
Internal Model	65A60QUV
Sales Market	Panama, Guatemala, Chile, Peru, Bolivia, Uruguay, Paraguay, Costa Rica, Colombia, Brasil, Mexico, Canada
Brand	Hisense

Premium Tech

MiniLED Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	AIPQ

Picture Quality

Class Size	65"
Display Area	64.5" diagonal
Panel type	IPS
Display Aspect Ratio	16:09
Display	Flat
Resolution	4K 3840X2160
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nits)	300typ
Static Contrast Ratio (w/ Local Dimming)	1400typ
Viewing Angle H/V	178/178
Response Time (ms)	8 ms
Color Depth	8bit+FRC
Backlight	DLED
Local Dimming	N
Local Dimming Zones	NA
Wide Color Gamut	N
4K Upscale	Y
MEMC	Y
Motion Rate	120
Black Frame Insertion	N
HDR: Dolby Vision	Y
HDR: HDR10+	N
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HLG)	Y
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	Y
IMAX Enhanced	N

Film Maker Mode	Y
-----------------	---

Other features	
----------------	--

Game

HDR game mode	Y
---------------	---

HSR	N
-----	---

VRR(Variable Refresh Rate)	48-60Hz VRR
----------------------------	-------------

ALLM(Auto Low-latency Mode)	Y
-----------------------------	---

FreeSync	N
----------	---

G-Sync	N
--------	---

Other Game features	Gamebar
---------------------	---------

Audio Quality

Audio Enhancement	DTS Virtual X
-------------------	---------------

Multi-Channel Audio	2.0 CH
---------------------	--------

Audio Power	2*10W
-------------	-------

Sound send	Y
------------	---

Speaker Type	Embedded (down)
--------------	-----------------

Bluetooth Audio	Y
-----------------	---

Dual Audio-Bluetooth+ TV speaker	Y
----------------------------------	---

Dual Audio-2 Bluetooth	Y
------------------------	---

TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	Y
--	---

Hardware&Ports

Wi-Fi	802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
-------	--

Bluetooth	BT5.3
-----------	-------

RF Antenna	1
------------	---

Supported Format	480i,480P,720P,1080i,1080P,2160P
------------------	----------------------------------

HDMI Inputs	HDMI2.0*3
-------------	-----------

HDMI 4K@120Hz	N
---------------	---

HDMI-eARC	HDMI 3
-----------	--------

USB	USB2.0*2
-----	----------

Ethernet (LAN)	1
----------------	---

Composite Video Input	1
-----------------------	---

L/R Audio Input for Composite	1
-------------------------------	---

Earphone/Audio Output	0
-----------------------	---

Digital Audio Output	1 optical
----------------------	-----------

Mainboard Output Signal	P2P
-------------------------	-----

Chipsets

OS version	VIDAA U9
------------	----------

Chipset name	MT9603BAATAC
--------------	--------------

CPU	CA55 * 4 @ 1.53GHz
-----	--------------------

GPU	G52 MC1 550MHz
-----	----------------

L1	/
L2/L3	/
DDR	1.5GB
EMMC	8GB
Power	
Power Consumption	180W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC100-240V,50/60Hz
Wide Power Supply	Y
Smart	
Smart Platform	VIDAA U9
On Screen Display	English, French, Spanish, German, Simplified Chinese, Traditional Chinese, Portuguese
App Store	VIDAA APP store
TV System	ATSC1.0/Clear QAM/NTSC/PAL-M/N/ISDB-T/DVB-T2(6M)
Web Browser	Y (Odin)
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	N
Alexa	Works with Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	Google smart home (Works with GA)
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)(inch)	
TV Dimension (with the stand)(inch)	
Stand Material	plastic
Color (Front cover, stand)	Black / Black
Stand Dimension-Wide(LxW)(inch)	
Stand Dimension-Narrow(LxW)(inch)	
Stand Dimension-Height-High(inch)	
Stand Dimension-Height-Low(inch)	
TV Weight (without the stand)(inch)	
TV Weight (with the stand)(inch)	
Carton Dimensions(WxHxD)(inch)	
Shipping Weight(lb)	

Weight of carton box(lb)
 Weight of plastic foam in package material(lb)
 Weight of plastic in package material(lb)
 Weight of packaging -paper, cardboard(lb)
 Weight of packaging- EPS(lb)
 Weight of packaging- foil PE(lb)
 Weight of packaging- PVC(lb)
 Weight of packaging- metal(lb)
 Weight of packaging -paper(lb)

NA Number of packaging units(lb)

SA Number of packaging units(lb)

Dimensions/Weight(kg&mm)

TV Dimension (without the stand)(mm)
 TV Dimension (with the stand)(mm)
 Stand Dimension-Wide(LxW)(mm)
 Stand Dimension-Narrow(LxW)(mm)
 Stand Dimension-Height-High(mm)
 Stand Dimension-Height-Low(mm)
 TV Weight (without the stand)(kg)
 TV Weight (with the stand)(kg)
 Carton Dimensions(WxHxD)(mm) 1649×142×997 mm
 Shipping Weight(kg) 20.4 kg
 Weight of carton box(kg)
 Weight of plastic foam in package material(kg)
 Weight of plastic in package material(kg)
 Weight of packaging -paper, cardboard(kg)
 Weight of packaging- EPS(kg)
 Weight of packaging- foil PE(kg)
 Weight of packaging- PVC(kg)
 Weight of packaging- metal(kg)
 Weight of packaging -paper(kg)

NA Number of packaging units(kg)

SA Number of packaging units(kg)

Wall Amount

Wall Mount Size 400×200
 Wall Mount Screw M6

Hisense internally supported Wall Mount LG400065

Hisense internally supported Wall Mount 193085-0120

Accessory

Remote 中美洲及南美: ERF2H38H
 CA: ERF2G38H
 MX: ERF2F38H
 巴西: ERF2J38H
 Battery 2

Power cord	1
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty

UPC Code

EAN Code