

General

NA Market Model	75A65NV
SA Market Model	75A6NV
Internal Model	75A60QUV
Sales Market	Panama, Guatemala, Chile, Peru, Bolivia, Uruguay, Paraguay, Costa Rica, Colombia, Brasil, Mexico, Canada
Brand	Hisense

Premium Tech

MiniLed Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	AIPQ

Picture Quality

Class Size	75"
Display Area	74.5" diagonal
Panel type	IPS
Display Aspect Ratio	16:09
Display	Flat
Resolution	4K 3840X2160
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nits)	300typ
Static Contrast Ratio (w/ Local Dimming)	1300typ
Viewing Angle H/V	178/178
Response Time (ms)	8ms
Color Depth	8bit+FRC
Backlight	DLED
Local Dimming	N
Local Dimming Zones	NA
Wide Color Gamut	N
4K Upscale	Y
MEMC	Y
Motion Rate	120
Black Frame Insertion	N
HDR: Dolby Vision	Y
HDR: HDR10+	N
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HLG)	Y
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	Y
IMAx Enhanced	N

Film Maker Mode	Y
Other features	

Game

HDR game mode	Y
HSR	N
VRR(Variable Refresh Rate)	48-60Hz VRR
ALLM(Auto Low-latency Mode)	Y
FreeSync	N
G-Sync	N
Other Game features	Gamebar

Audio Quality

Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*15W
Sound send	Y
Speaker Type	Embedded (down)
Bluetooth Audio	Y
Dual Audio-Bluetooth+ TV speaker	Y
Dual Audio-2 Bluetooth	Y

oçøé³oÕöÿp oæp p p p oûo³æp oæoðo|Y
 devices are connected to TV with
 Bluetooth, sound outputs via TV
 p p oæoðoðoæp oÁo

Hardware&Ports

Wi-Fi	802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
Bluetooth	BT5.3
RF Antenna	1
Supported Format	480i,480P,720P,1080i,1080P,2160P
HDMI Inputs	HDMI2.0*3
HDMI 4K@120Hz	N
HDMI-eARC	HDMI 3
USB	USB2.0*2
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	0
Digital Audio Output	1 optical

Mainboard Output Signal **P2P**

Chipsets

OS version	VIDAA U9
Chipset name	MT9603BAATAC
CPU	CA55 * 4 @ 1.53GHz
GPU	G52 MC1 550MHz

L1	/
L2/L3	/
DDR	1.5GB
EMMC	8GB
Power	
Power Consumption	190W
Standby Consumption	MoÃoÈ
Power Supply (Voltage/Hz)	AC100-240V,50/60Hz
Wide Power Supply	Y
Smart	
Smart Platform	VIDAA U9
On Screen Display	English, French, Spanish, German, Simplified Chinese, Traditional Chinese, Portuguese
App Store	VIDAA APP store
TV System	ATSC1.0/Clear QAM/NTSC/PAL-M/N/ISDB-T/DVB-T2(6M)
Web Browser	Y (Odin)
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-fireld Voice Recognition	N
Googel Assistant	N
Alexa	Works with Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	Google smart home (Works with GA)
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)(inch)	
TV Dimension (with the stand)(inch)	
Stand Material	plastic
Color (Front cover, stand)	Black / Black
Stand Dimension-Wide(LxW)(inch)	
Stand Dimension-Narrow(LxW)(inch)	
Stand Dimension-Height-High(inch)	
Stand Dimension-Height-Low(inch)	
TV Weight (without the stand)(inch)	
TV Weight (with the stand)(inch)	
Carton Dimensions(WxHxD)(inch)	
Shiping Weight(lb)	

Weight of carton box(lb)
 Weight of plastic foam in package material(lb)
 Weight of plastic in package material(lb)
 Weight of packaging -paper, cardboard(lb)
 Weight of packaging- EPS(lb)
 Weight of packaging- foil PE(lb)
 Weight of packaging- PVC(lb)
 Weight of packaging- metal(lb)
 Weight of packaging -paper(lb)

NA Number of packaging units(lb)

SA Number of packaging units(lb)

Dimensions/Weight(kg&mm)

TV Dimension (without the stand)(mm)	1676×964×79 mm
TV Dimension (with the stand)(mm)	1676×1041×370 mm
Stand Dimension-Wide(LxW)(mm)	
Stand Dimension-Narrow(LxW)(mm)	
Stand Dimension-Height-High(mm)	
Stand Dimension-Height-Low(mm)	
TV Weight (without the stand)(kg)	18.5 kg
TV Weight (with the stand)(kg)	18.8 kg
Carton Dimensions(WxHxD)(mm)	1865×173×1146 mm
Shipping Weight(kg)	29.5 kg

Weight of carton box(kg)
 Weight of plastic foam in package material(kg)
 Weight of plastic in package material(kg)
 Weight of packaging -paper, cardboard(kg)
 Weight of packaging- EPS(kg)
 Weight of packaging- foil PE(kg)
 Weight of packaging- PVC(kg)
 Weight of packaging- metal(kg)
 Weight of packaging -paper(kg)

NA Number of packaging units(kg)

SA Number of packaging units(kg)

Wall Mount

Wall Mount Size	200×300
Wall Mount Screw	M6

o¼oÝoçoÙoâoçoÙo”oÝoâoèoÙoæoâoÕ LG400065

Hisense internally supported Wall Moun 193085-0120

Accessory

Remote	,N•<1"É"VN•o!oØoâoÙoÂoÙoÆo oÕoÕo!oØoâoÙoÂoÙoÆoËoÙ oàoeo!oØoâoÙoÂoÙoÆoËoÙ ,óX~o!oØoâoÙoÂoÝoÆoËoÙ
--------	--

Battery

2

Power cord	1
HDMI cable	N
QSG	Y
Safety and Warranty	Y
Stand	Dual Stand

Warranty/UPC

Warranty
UPC Code
EAN Code