

General	
Figure	
NA Market Model	50A65NV
SA Market Model	50A6NV
Internal Model	50A60QUV
Sales Market	Panama, Guatemala, Chile, Peru, Bolivia, Uruguay, Paraguay, Costa Rica, Colombia, Brasil, Mexico, Canada
Brand	Hisense
Premium Tech	
MiniLED Technology	N
Quantum Dot Technology	N
AGLR(Low Reflection)	N
AI	AIPQ
Picture Quality	
Class Size	50"
Display Area	50" diagonal
Panel type	VA
Display Aspect Ratio	16:09
Display	Flat
Resolution	4K 3840X2160
Native refresh rate(Hz)	60Hz
Peaking Brightness(typical nits)	300typ
Static Contrast Ratio (w/ Local Dimming)	5000typ
Viewing Angle H/V	178/178
Response Time (ms)	7ms
Color Depth	8bit
Backlight	DLED
Local Dimming	N
Local Dimming Zones	N
Wide Color Gamut	Y
4K Upscale	Y
MEMC	Y
Motion Rate	240
Black Frame Insertion	N
HDR: Dolby Vision	Y
HDR: HDR10+	N
HDR: HDR10	Y
HDR: Hybrid Log Gamma (HLG)	Y
HDR10+ Adaptive	N
HDR10+ Gaming	N
Dolby Vision IQ	N
Dolby Gaming	Y

IMAx Enhanced	N
Film Maker Mode	Y
Other features	
Game	
HDR game mode	Y
HSR	N
VRR(Variable Refresh Rate)	48-60Hz VRR
ALLM(Auto Low-latency Mode)	Y
FreeSync	N
G-Sync	N
Other Game features	Gamebar
Audio Quality	
Audio Enhancement	DTS Virtual X
Multi-Channel Audio	2.0 CH
Audio Power	2*8W
Sound send	N
Speaker Type	Embedded (down)
Bluetooth Audio	Y
Dual Audio-Bluetooth+ TV speaker	Y
Dual Audio-2 Bluetooth	Y
TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	Y
Hardware&Ports	
Wi-Fi	802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
Bluetooth	BT5.3
RF Antenna	1
Supported Format	480i,480P,720P,1080i,1080P,2160P
HDMI Inputs	HDMI2.1*3(VRR/ALLM)
HDMI 4K@120Hz	N
HDMI-eARC	HDMI 3
USB	USB2.0*2
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1
Mainboard Output Signal	P2P
Chipsets	

OS version	VIDAA U9
Chipset name	MT9603BAATAC
CPU	CA55 * 4 @ 1.53GHz
GPU	G52 MC1 550MHz
L1	/
L2/L3	/
DDR	1.5GB
EMMC	16GB
Power	
Power Consumption	110W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC100-240V,50/60Hz
Wide Power Supply	Y
Smart	
Smart Platform	VIDAA U9
On Screen Display	English, French, Spanish, German, Simplified Chinese, Traditional Chinese, Portuguese
App Store	VIDAA store
TV System	ATSC1.0/Clear QAM/NTSC/PAL-M/N/ISDB-T/DVB-T2(6M)
Web Browser	Y (Odin)
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-fireld Voice Recognition	N
Googel Assistant	N
Alexa	built-in Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	N
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast、DLNA
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)(inch)	43.7×25.6×2.8 inch
TV Dimension (with the stand)(inch)	43.7×27.7×10.8 inch
Stand Material	plastic
Color (Front cover, stand)	Black / Black
Stand Dimension-Wide(LxW)(inch)	35.2×10.8 inch
Stand Dimension-Narrow(LxW)(inch)	NA
Stand Dimension-Height-High(inch)	NA
Stand Dimension-Height-Low(inch)	NA

TV Weight (without the stand)(inch)	17.6lb
TV Weight (with the stand)(inch)	18.1lb
Carton Dimensions(WxHxD)(inch)	48.6×4.7×31.5 inch
Shiping Weight(lb)	25.4 lbs
Weight of carton box(lb)	5.72
Weight of plastic foam in package material(lb)	1.1
Weight of plastic in package material(lb)	0
Weight of packaging -paper, cardboard(lb)	0
Weight of packaging- EPS(lb)	1.1
Weight of packaging- foil PE(lb)	0.22
Weight of packaging- PVC(lb)	0
Weight of packaging- metal(lb)	0
Weight of packaging -paper(lb)	0.22
NA Number of packaging units(lb)	6
SA Number of packaging units(lb)	3
Dimensions/Weight(kg&mm)	
TV Dimension (without the stand)(mm)	1111×650×71 mm
TV Dimension (with the stand)(mm)	1111×703×274 mm
Stand Dimension-Wide(LxW)(mm)	893×274 mm
Stand Dimension-Narrow(LxW)(mm)	NA
Stand Dimension-Height-High(mm)	NA
Stand Dimension-Height-Low(mm)	NA
TV Weight (without the stand)(kg)	8.0kg
TV Weight (with the stand)(kg)	8.2kg
Carton Dimensions(WxHxD)(mm)	1235×119×799 mm
Shiping Weight(kg)	11.5 kg
Weight of carton box(kg)	2.6
Weight of plastic foam in package material(kg)	0.5
Weight of plastic in package material(kg)	0
Weight of packaging -paper, cardboard(kg)	0
Weight of packaging- EPS(kg)	0.5
Weight of packaging- foil PE(kg)	0.1
Weight of packaging- PVC(kg)	0
Weight of packaging- metal(kg)	0
Weight of packaging -paper(kg)	0.1
NA Number of packaging units(kg)	6
SA Number of packaging units(kg)	3
Wall Amount	
Wall Mount Size	200×400
Wall Mount Screw	M6
Hisense internally supported Wall Mount model (s)	LG400065
Hisense internally supported Wall Mount material (s)	193085-0120
Accessory	

Remote
Battery
Power cord
HDMI cable
QSG
Safety and Warranty
Stand
Warranty/UPC
Warranty
UPC Code
EAN Code

中美洲及南美：ERF2H38H
CA：ERF2G38H、ERF3A62
MX：ERF2F38H
巴西：ERF2J38H

2

1

N

Y

Y

Dual Stand

888143022178

6942351415017