

General

Figure

NA Market Model

50QD65QV

SA Market Model

50Q6QV

Internal Model

50Q60QUV(02)

Sales Market

Panama, Guatemala, Chile, Peru, Bolivia, Uruguay,
Paraguay, Costa Rica, Colombia, Brasil, Mexico,
Canada

Brand

Hisense

Premium Tech

MiniLed Technology

N

Quantum Dot Technology

Y

AI

AIPQ

Picture Quality

Class Size

50"

Display Area

49.5" diagonal

Panel type

VA

Display Aspect Ratio

16:09

Display

Flat

Resolution

4K 3840X2160

Native refresh rate(Hz)

60Hz

Peaking Brightness(typical nits)

300yp

Static Contrast Ratio (w/ Local Dimming)

4000typ

AGLR(Low Reflection)

N

Viewing Angle H/V

178/178

Response Time (ms)

8ms

Color Depth

8bit

Backlight

DLED

Local Dimming

N

Local Dimming Zones

N

Wide Color Gamut

Y

4K Upscale

Y

MEMC

Y

Motion Rate

240

Black Frame Insertion

N

HDR: Dolby Vision

Y

HDR: HDR10+

Y

HDR: HDR10

Y

HDR: Hybrid Log Gamma (HLG)

Y

HDR10+ Adaptive

N

HDR10+ Gaming

N

Dolby Vision IQ

N

Dolby Gaming

Y

IMAX Enhanced

N

Film Maker Mode	Y
Other features	
Game	
HDR game mode	Y
HSR	HSR 120
VRR(Variable Refresh Rate)	VRR 48-60 Hz
ALLM(Auto Low-latency Mode)	Y
FreeSync	N
G-Sync	N
Other Game features	Gamebar
Audio Quality	
Audio Enhancement	Dolby Atmos
Multi-Channel Audio	2.0 CH
Audio Power	2*10W
Sound send	Y
Speaker Type	Embedded (down)
Bluetooth Audio	Y
Dual Audio-Bluetooth+ TV speaker	Y
Dual Audio-2 Bluetooth	Y
TV Bluetooth Speaker (when mobile devices are connected to TV with Bluetooth, sound outputs via TV speaker.)	Y
Hardware&Ports	
Wi-Fi	802.11 a/b/g/n/ac Dual band(2.4/5 GHz)
Bluetooth	BT5.3
RF Antenna	1
Supported Format	480i,480P,720P,1080i,1080P,2160P
HDMI Inputs	HDMI2.1*3(VRR/ALLM)
HDMI 4K@120Hz	N
HDMI-eARC	HDMI 3
USB	USB2.0*2
Ethernet (LAN)	1
Composite Video Input	1
L/R Audio Input for Composite	1
Earphone/Audio Output	1
Digital Audio Output	1
Mainboard Output Signal	P2P
Chipsets	
OS version	VIDAA U9
Chipset name	MT9603BAATAC
CPU	CA55 * 4 @ 1.53GHz
GPU	G52 MC1 550MHz
L1	/
L2/L3	/

DDR	1.5GB
EMMC	16GB
Power	
Power Consumption	120W
Standby Consumption	≤0.5W
Power Supply (Voltage/Hz)	AC100-240V,50/60Hz
Wide Power Supply	Y
Smart	
Smart Platform	VIDAA U9
On Screen Display	English, French, Spanish, German, Simplified Chinese, Traditional Chinese, Portuguese
App Store	VIDAA store
TV System	ATSC1.0/Clear QAM/NTSC/PAL-M/N/ISDB-T/DVB-T2(6M)
Web Browser	Y (Odin)
Closed Caption	Y
Noise Reduction	Y
Parental Control	Y
Sleep Timer	Y
Far-field Voice Recognition	N
Google Assistant	N
Alexa	built-in Alexa(Brasil, Mexico, Canada)
Siri	N
Google Home	N
Chromecast	N
Apple Homekit	Y
Airplay	Y
Screen Mirror	Miracast、DLNA
Dimensions/Weight(lb&inch)	
TV Dimension (without the stand)(inch)	43.7×25.6×2.8 inch
TV Dimension (with the stand)(inch)	43.7×27.6×10.8 inch
Stand Material	plastic
Color (Front cover, stand)	Black / Black
Stand Dimension-Wide(LxW)(inch)	35.1×10.7 inch
Stand Dimension-Narrow(LxW)(inch)	NA
Stand Dimension-Height-High(inch)	NA
Stand Dimension-Height-Low(inch)	NA
TV Weight (without the stand)(inch)	17.6lb
TV Weight (with the stand)(inch)	18.0lb
Carton Dimensions(WxHxD)(inch)	48.6×4.6×31.4 inch
Shipping Weight(lb)	25.3 lbs
Weight of carton box(lb)	/
Weight of plastic foam in package material(lb)	/
Weight of plastic in package material(lb)	/

Weight of packaging -paper, cardboard(lb)	/
Weight of packaging- EPS(lb)	/
Weight of packaging- foil PE(lb)	/
Weight of packaging- PVC(lb)	/
Weight of packaging- metal(lb)	/
Weight of packaging -paper(lb)	/
NA Number of packaging units(lb)	6
SA Number of packaging units(lb)	3
Dimensions/Weight(kg&mm)	
TV Dimension (without the stand)(mm)	1111×650×71 mm
TV Dimension (with the stand)(mm)	1111×703×274 mm
Stand Dimension-Wide(LxW)(mm)	893×274 mm
Stand Dimension-Narrow(LxW)(mm)	NA
Stand Dimension-Height-High(mm)	NA
Stand Dimension-Height-Low(mm)	NA
TV Weight (without the stand)(kg)	8.0kg
TV Weight (with the stand)(kg)	8.2kg
Carton Dimensions(WxHxD)(mm)	1235×119×799 mm
Shipping Weight(kg)	11.5 kg
Weight of carton box(kg)	/
Weight of plastic foam in package material(kg)	/
Weight of plastic in package material(kg)	/
Weight of packaging -paper, cardboard(kg)	/
Weight of packaging- EPS(kg)	/
Weight of packaging- foil PE(kg)	/
Weight of packaging- PVC(kg)	/
Weight of packaging- metal(kg)	/
Weight of packaging -paper(kg)	/
NA Number of packaging units(kg)	6
SA Number of packaging units(kg)	3
Wall Amount	
Wall Mount Size	200×400
Wall Mount Screw	M6
Hisense internally supported Wall Mount model (s)	LG400065
Hisense internally supported Wall Mount material (s)	193085-0120
Accessory	
Remote	中美洲及南美: ERF2H38H CA: ERF2G38H、ERF3A62 MX: ERF2F38H 巴西: ERF2J38H
Battery	2
Power cord	1
HDMI cable	N
QSG	Y

Safety and Warranty
Stand

Y
Dual Stand

Warranty/UPC

Warranty	
UPC Code	888143024592
EAN Code	6942351425283